# **Electrospray-Assisted Fabrication of Highly Stable and Efficient Perovskite Solar Cells (PV-3)**

A joint India-U.S. research consortium funded under the *Joint Clean Energy Research & Development Center (JCERDC)* 

# **Scientific Achievement:**

An aerosol-based method (electrospray deposition) is demonstrated to fabricate a stable CH<sub>3</sub>NH<sub>3</sub>PbI<sub>3</sub>-based perovskite layer at ambient humidity (30%–50% relative humidity). Subsequently, perovskite solar cells with 0.1-cm<sup>2</sup> area and ~12% efficiency were fabricated, which retain 75% of their initial efficiency (average over various devices) for 5.5 months.

## Significance and Impact:

The method developed is scalable to fabricated large-area stable perovskite solar cells.

### **Research Details:**

SERI IUS

- A two-step process was followed to fabricate a stable perovskite layer: Pbl<sub>2</sub> was deposited using spin coating, and then CH<sub>3</sub>NH<sub>3</sub>I (MAI) was electrosprayed on Pbl<sub>2</sub>coated substrate at room temperature (Fig. 1).
- Devices were kept at ambient conditions and tested periodically to investigate their stability (Fig. 2a).
- Key mechanism for improved stability is the precise control of the reaction between the two precursors (PbI<sub>2</sub> and MAI), which results in smooth and moisture-resistant perovskite film, compare to the spin-coating method.

**Publication(s):** S. Kavadiya, D.M. Niedzwiedzki, S. Huang, and P. Biswas, Electrospray-Assisted Fabrication of Highly Stable and Efficient Perovskite Solar Cells at Ambient Conditions, *Advanced Energy Materials*, 1700210, 2017.





Figure 1. Schematic of electrospray-assisted fabrication of perovskite layer.



**Figure 2.** (a) Stability of the perovskite solar cells fabricated using electrospray at various conditions and spin-coating methods. (b) Surface morphology of perovskite film fabricated with spin coating (left) and electrospray (right); the inset shows the contact angle of water on the respective perovskite film.

**Contact(s):** Shalinee Kavadiya (<u>shalinee.Kavadiya@wustl.edu</u>); Pratim Biswas (<u>pbiswas@wustl.edu</u>)









